Text Search for 10620358

Туре	Ref	Hits	Search Text	DBs	Time Stamp
IS&R	S173	2.	(*6110214").PN. [702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/28/04
BRS	S174	7348	1702/188 or 702/180 or 702/183 or 702/185).cds.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S175	2284	(702/for.103-for.104 or 702/for.115 or 702/for.116-for.119 or 702/for.135 or 702/for.137 or 702/for.121 or 702/for.134 or 702/for.139 or 702/for.140 or 702/for.155 or 702/for.171).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S176 S177	8703 4904	(422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls. (436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/175 or 436/175 or 436/176 or 436/815).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S178	19540	(707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls. (340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S179	8175	340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$180	932	((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).cds.) and analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S181	397	(((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S182	267	((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/180 or 702/183 or 702/183 or 702/183 or 702/186).ccls.) and analyzer) and network) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S183	67	(((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S184	n	702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network) and error) and log ((((((702/19 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/55 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
		50	or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network) and error) and log) and log adj history (((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S185	58	702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network ((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or		
BRS	\$186	38	702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error (((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S187	3	702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD8	12/29/04
BRS	S188	5	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log) and assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S189	5	(((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/55 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log) and assay) and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$190	1041	((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/188 or 702/180 or 702/183 or 702/186).cds.) and assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S191	724	(((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$192		702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze ((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
			702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network (((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S193	27	702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log ((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/55 or 702/51-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179		
BRS	S194	8	or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$195	25	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S196	9	(((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccis.) and assay) and analyze) and computer adj network) and log) and user) and operator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S197	9	((((((((((((((((((((((((((((((((((((((US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S198	0	((702/for.103-for.104 or 702/for.115 or 702/for.116-for.119 or 702/for.135 or 702/for.137 or 702/for.121 or 702/for.134 or 702/for.139 or 702/for.140 or 702/for.155 or 702/for.170-for.171).ccls.) and assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S199	1485	((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S200	382	(((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S201	10	((((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S202	7	((((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network) and sensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$203	1	((((((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and analyzer) and computer adj network) and sensor) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S204	0	(((((422/3 or 422/50 or 422/62 or 422/67 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).ccls.) and assay) and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S205	1811	analyzer) and computer adj network) and sensor) and predetermined adj data ((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S206	531	(((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer ((((436/8 or 436/43 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S207	9	adj network (((((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer		
BRS	S208	1	adj network) and log same history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$209	1	(((((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and log and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S210	3	(((((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS BRS	\$211 \$212	84 10	((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay (((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS BRS	S213 S214	14	(((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1 ((((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S215	2	(((((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S216 S217	1 7	(((((707/1-10 or 707/101 or 707/102 or 707/200-201 or 707/204-205).ccls.) and assay) and sensor\$1) and computer adj network) and log ((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
		'	340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.) and assay ((((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S218 S219	208379	340/for.104 or 340/for.203 or 340/for.326 or 340/for.207-for.214).ccls.) and assay) and computer adj network) and quality assay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S220	19920	assay and sensor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS BRS	S221 S222	974 258	(assay and sensor\$1) and computer same network ((assay and sensor\$1) and computer same network) and log	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS BRS	S223 S224	208	(((assay and sensor\$1) and computer same network) and log) and monitor ((((assay and sensor\$1) and computer same network) and log) and monitor) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
IS&R	S225	2	(*5366896*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S226	0	(("5366896").PN.) and network same sample adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S227	0	(("5366896").PN.) and tally	DOT OF OU, OU! AT, LEO, SEO, DENTILITE, IDM_TDD	1 12 2 2 1 0 4

Text Search for 10620358

Туре	Ref	Hits	Search Text	DBs	Time Stamp
BRS	S228	0	(("5366896").PN.) and count	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S229 S230	0	(("5366896").PN.) and mark (("5366896").PN.) and recordable adj medium	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S231	0	(("5366896").PN.) and hard adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$232 \$233	0	(((*5366896*).PN.) and hard adj drive) and disk ((*5366896*).PN.) and analyzer\$1 same network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S234	0	(("5366896").PN.) and reception same sample same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS BRS	S235 S236	0	((*5366896*).PN.) and statistical ((*5366896*).PN.) and statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S237	0	((*5366896*).PN.) and provision same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S238	0	((*5366896*).PN.) and sample same quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS BRS	S239 S240	2	(("5366896").PN.) and sample and quality (("5366896").PN.) and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S241	1	((*5366896*).PN.) and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S242 S243	0	(("6408953").PN.) and statistical (("6408953").PN.) and statistic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S244	0	((*6408953*).PN.) and tally	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S245 S246	0	(("5366896").PN.) and terminal (("5366896").PN.) and user and "up to now"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S247	0	(("5366896").PN.) and user and "up to"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S248	0	((*5366896*).PN.) and user and 'up to' ((*5366896*).PN.) and Quality same analizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S249 S250	0	(("5366896").PN.) and Quality and analizer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S251	0	(["5366896").PN.) and tally	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S252	0	((*5366896*).PN.) and urgent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	12/29/04
IS&R	S253	2	(*5366896*).PN.	. IBM_TDB	12/29/04
BRS BRS	\$254 \$255	0	((*5366896*).PN.)and *shuts down* ((*5366896*).PN.)and *hault*	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S256	0	(("5366896").PN.)and hault\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S257	0	(("5366896").PN.)and shut (("5366896").PN.)and (number adj of)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS BRS	S258 S259	2063	((5300090).PN.Jano (number adj di) Control\$4 near analyzer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S260	0	(Control\$4 near analyzer\$1) and (collecting near means)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S261 S262	682 5	(702/116 or 702/120-123).ccls. (((702/116 or 702/120-123).ccls.) and (control\$4 near analyzer\$1)) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S263	5	((((702/116 or 702/120-123).ccis.) and (control\$4 near analyzer\$1)) and network) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 -
BRS	S264	1582	(702/187-188).ccls. ((*5366896*).PN.) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	\$276 \$277	1	((*5366896*).PN.) and error same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S278	1	((*5366896*).PN.) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S279 S280	1	((*5366896*).PN.) and history and time ((*5366896*).PN.) and history and time and transmit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S281	1	((*5366896*).PN.) and history and time and transmit and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S282 S283	1	((*5366896*).PN.) and network same data (("5366896").PN.) and set	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S284	1	(("5366896").PN.) and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S285	1	((*5366896*).PN.) and hard ((*5366896*).PN.) and drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S286 S287	1	((*5366896*).PN.) and quality adj control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$289	1	(("5366896").PN.) and assays	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	\$290 \$291	1	(("5366896").PN.) and analyzer\$1 and network (("5366896").PN.) and analyzer\$1 same control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S292	1	((*5366896*).PN.) and reception same data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S293 S294	1	((*5366896*).PN.) and data ((*5366896*).PN.) and provision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S295	1	((*5366896*).PN.) and provision and upon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S296	1	((*5366896*).PN.) and provision and time ((*5366896*).PN.) and quality and sample	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04 12/29/04
BRS	S297 S298	1	((*5366896*).PN.) and sample same quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S300	1	((*5366896*).PN.) and quality same control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS BRS	S302 S303	1	((*5366896*).PN.) and user and upon ((*5366896*).PN.) and user and Dupont	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S306	1	((*5366896*).PN.) and analyzer same pc	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S307 S308	1	((*5366896*).PN.) and Quality and analyzer ((*5366896*).PN.) and Quality same analyzer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S309	1	(("5366896").PN.) and provision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S311 S312	1 1	((*5366896*).PN.) and quality (((*5366896*).PN.) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S312 S313	1	(("5366896").PN.) and critical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S314	1	(((*5366896*).PN.) and critical) and network (((*5366896*).PN.) and remote) and error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS BRS	S316 S317	1	(((*5366896*).PN.) and remote) and error ((*5366896*).PN.)and information	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	_
BRS	S318	1	(("5366896").PN.)and "real time"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S319 S320	1	(("5366896").PN.)and down (("5366896").PN.)and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S321	1	(("5366896").PN.)and (remote adj control)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS BRS	S322 S323	1	((*5366896*).PN.)and error ((*5366896*).PN.)and (times)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S324	1	(((*5366896*).PN.)and (times)) and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	
BRS	S265	8	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/51-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
		40	or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and network) and error) and log) and log same history (((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S266	18	702/188 or 702/180 or 702/183 or 702/186).ccls.) and analyzer) and computer adj network) and error) and log	US-FOFUE, USFAI, EPU, JPU, DERWENT, IBM_TUB	12/29/04
BRS	S267	25	((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccts.) and assay) and analyze) and computer adj network) and log) and user) and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
	0000		[([[([([702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/55 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or	NO DODLID MODEL COO. IDO. DEDMISE OM TOO	42/20104
BRS	S268	19	702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and correlation) and quality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
l		·	Contension and Applit		

Text Search for 10620358

Туре	Ref	Hits	Search Text	DBs	Time Stamp
BRS	S269	21	((((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/122 or 702/179 or 702/188 or 702/180 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and user) and correlation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S270	6	((((((((((((((((((((((((((((((((((((((US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S271	5	((((((((((((((((((((((((((((((((((((((US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S272	5	(((((422/3 or 422/50 or 422/62 or 422/62 or 422/63 or 422/68.1 or 422/93 or 422/98 or 422/99 or 422/105 or 422/108 or 422/116 or 422/119).cds.) and assay) and analyzer) and computer adj network) and sensor) and predetermined	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TD8	12/29/04
BRS	S273	2	(((((436/8 or 436/16 or 436/43 or 436/50-51 or 436/55 or 436/149 or 436/174 or 436/175 or 436/176 or 436/815).ccls.) and assay) and analyzer) and computer adj network) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S274	3	(((340/500-501 or 340/514-517 or 340/520 or 340/523 or 340/540 or 340/603 or 340/632 or 340/633 or 340/691.1 or 340/825 or 340/286.01 or 340/815.58 or 340/for, 104 or 340/for, 203 or 340/for, 326 or 340/for, 207-for, 214), ccls.) and assay) and computer adj network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S275	29	((((assay and sensor\$1) and computer same network) and log) and monitor) and history) and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S288	2	(("5366896").PN.) and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
IS&R	S299	2	(*6408953*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S301	2	(("5366896").PN.) and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BR\$	S304	2	(("5366896").PN.) and user and specimen	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$305	2	(("5366896").PN.) and user	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
IS&R	S310	2	(*5366896*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	12/29/04
BRS	S315	2	((*5366896*).PN.) and remote	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S325	7	(((((((702/19 or 702/21 or 702/25 or 702/27 or 702/29 or 702/30-32 or 702/50 or 702/55 or 702/81-84 or 702/100 or 702/108 or 702/108 or 702/108 or 702/108 or 702/183 or 702/183 or 702/186).ccls.) and assay) and analyze) and computer adj network) and log) and user) and history	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S326	4	(Control\$4 near analyzer\$1) and (collecting same means)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$327	8	((702/116 or 702/120-123).ccls.) and (control\$4 near analyzer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S328	5	(((((702/116 or 702/120-123).ccis.) and (control\$4 near analyzer\$1)) and network) and computer) and analyzers	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S329	99	desta.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	\$330	18	((702/187-188).cds.) and miller\$.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S331	14	(((702/187-188).ccls.) and miller\$.xa.) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
BRS	S332	13	((((702/187-188).ccls.) and miller\$.xa.) and network) and computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04
IS&R	\$333	2	("5366896").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	12/29/04
IS&R	S334	2	(*6110214*).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	12/29/04